Mojave Desert Air Quality Management District

TITLE V SEMI-ANNUAL MONITORING REPORT

a. This facility has not experienced any deviations.	I. FACILITY IN	NFORMATION					
5. FACILITY ID: 6. TITLE V PERMIT #: 7. THIS REPORT IS DUE: 8. THIS REPORT COVERS THE PERIOD FROM:	1. FACILITY NA	AME:			2.	FACILITY ADDRESS:	
7. THIS REPORT IS DUE: 8. THIS REPORT COVERS THE PERIOD FROM:	3. COMPANY N	NAME:			4.	COMPANY ADDRESS:	
8. THIS REPORT COVERS THE PERIOD FROM: TO: II. Indicate the status of deviations during this reporting period: a This facility has not experienced any deviations.	5. FACILITY ID:	:			6.	TITLE V PERMIT #:	
II. Indicate the status of deviations during this reporting period: a. This facility has not experienced any deviations.	7. THIS REPORT	RT IS DUE:					
a. This facility has not experienced any deviations.	8. THIS REPORT	RT COVERS THE P	ERIOD FROM:		TO:		
SUMMARY OF DEVIATIONS (Attach additional pages as necessary) 9. Permit	a.	lity has not experience DEVIATIONS (Atta 10. Permit Condition #	rienced any deviati ced one or more de ach additional page 11. Parameters Monitored	eviations as indices as necessary) 12. Periods of Deviation	ated in the tabl	14. Actual Emissions or	16. Notes (e.g. cause, corrective action, etc.)

If no, please explain:		
III. RESPONSIBLE OFFICIAL SIGNAT	JRE STATEMENT	
provided in this certification packag	nder the laws of the state of California, that, based on information and belief formed after reasonable inquire is true, accurate, and addresses all deviations during the reporting period.	y, all information
Signature of Responsible Official D	re	
Name of Responsible Official (plea	e print)Title of Responsible Official (please print)	
	·	
Mail to:	And Mail to:	
MDAQMD,	EPA Region IX, Air Division,	
14306 Park Avenue	75 Hawthorne Street	
Victorville, CA 92392	San Francisco, CA 94105-3901	

MDAQMD, 14306 Park Avenue, Victorville, CA 92392 | Tel: (760)245-1661

Mojave Desert Air Quality Management District

TITLE V MONITORING REPORT Instructions

I. FACILITY INFORMATION

- 1. Enter the name of the facility
- 2. Enter the address of the facility
- 3. Enter the name of the owner
- 4. Enter the address of the owner
- 5. Enter the MDAQMD Facility ID
- 6. Enter the Title V permit number
- 7. Enter the due date of the report
- 8. Enter the date range that the report covers

II. SUMMARY OF DEVIATIONS

- 9. Permit Number: Reference the District permit unit by permit number.
- 10. Cite the permit condition number to identify each term or condition that contains the monitoring requirement
- 11. Identify the parameters monitored (e.g. ppm NO_x, exhaust temperature, etc.)
- 12. Periods of Deviation Identify all periods of deviation by date and time.
- 13. Limit Identify the limit for the parameter being monitored (e.g. 30ppm NO_x, 100 °F, etc.)
- 14. Actual Identify the highest actual result for the parameter being monitored for each period of deviation (e.g. 25 ppm NO_x, 110 °F, etc.)
- 15. Deviation or Excess Identify the difference between the actual result for the parameter being monitored and the limit for each period of deviation (e.g. +5ppm NO_x, +10 °F, etc.)
- 16. Notes Identify any probably cause of deviations, and any corrective actions or preventative measures taken.

MDAQMD, 14306 Park Avenue, Victorville, CA 92392 | Tel: (760)245-1661